



# Impact of Agro-Meteorological Advisory Services in Wheat Crop of Kushinagar District in Uttar Pradesh

Swati Swayamprabha Pradhan <sup>a\*</sup>, Sudhanshu Verma <sup>b</sup>  
and Pooja <sup>c</sup>

<sup>a</sup> Krishi Vigyan Kendra, Ganjam-1, OUAT, 761140, Odisha, India.

<sup>b</sup> Department of Agronomy, Institute of Agricultural Sciences, Banaras Hindu University, 221005, Varanasi, India.

<sup>c</sup> Department of Agriculture, MM(DU), Mullana, Ambala, 133207, Haryana, India.

## Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

## Article Information

DOI: 10.9734/IJECC/2023/v13i41727

## Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/97501>

**Original Research Article**

**Received: 08/01/2023**

**Accepted: 11/03/2023**

**Published: 14/03/2023**

## ABSTRACT

A study was conducted in April 2020 to assess the impact and usefulness of agrometeorological Advisory Services in increasing the production of wheat crops under DAMU KVK, Kushinagar. The two villages were selected for this study, and two groups of farmers were selected, namely, a group adopting the agrometeorological Advisories (50 farmers), regularly in their operations (AAS Farmers), and another group of farmers not aware of the agrometeorological Advisories (Non AAS Farmers) during the *rabi* season. The data were recorded from both the farmer groups, particularly on crop expenditure incurred by the farmers from land preparation to harvest at every stage, and crop growth and yields were observed regularly. The impact assessment was based on feedback that indicated a significant impact in terms of the use of the agrometeorological Advisory Service by farmers. The assessment study indicated that the farmers who adopted agrometeorological advisory services on a real time basis obtained a 28% higher net return in wheat crops compared to

\*Corresponding author: E-mail: [swayamprabha1206@gmail.com](mailto:swayamprabha1206@gmail.com);

Non-AAS farmers who benefited from timely agricultural operations, timely rainfall forecasting, recommended doses of fertilisers, efficient irrigation management, and standard plant protection majors in a required base manner during the crop growing period, as advised in biweekly bulletins. AAS farmers benefited from the timely application of fertilizers, timely and accurate weather forecasting, and timely agricultural operations to obtain a better yield in wheat crop as compared to Non-AAS farmers. Agrometeorological Advisory Services (AAS) might be used to be helpful to the farmers in managing changing weather, resulting in decreased input costs in agriculture and profitable agricultural production by adopting of weather based agrometeorological Advisory.

**Keywords:** Weather forecasting; AAS bulletin; impact; usefulness.

## 1. INTRODUCTION

“Agriculture in India is monsoon dependent and under such circumstances weather is one of the most important factors determining success and failure of agricultural production in India. To minimize the impact of unfavourable weather on agriculture and making decisions on their day-to-day agricultural operations farming community needs to be advised on timely by producing custom-tailored. At present, the yearly normal harvest due to outrageous weather conditions lessen India's yearly Gross domestic product by 0.25” [1]. The absence of timely and accurate agrometeorological information is a substantial barrier to efficient farm planning operations and may result in substantial crop losses [2]. By providing timely and accurate weather forecasts, it would be possible to reduce the loss to some extent. Weather varies with space and time, hence among all medium range forecast can helps much better for management of agricultural operations. Therefore, the improved weather-based agrometeorological Advisory Services (AAS) greatly help farmers to take advantage of favourable weather and minimise the impact of aberrant weather situations. So, the forecast is more valuable from their point of view [3,4]. “The timely weather forecasts offer the potential to reduce vulnerability to vagaries of weather” [5]. Farmers able to take advantage of the weather situation by utilising AAS in order to use the resource and reduce loss from unusual weather conditions [6].


## 2. MATERIALS AND METHODS

Kushinagar district is situated on 81° to 24° East longitude and 26 °to 45° North latitude. The temperature in the district ranges between 5°C and 43.4°C. It is comprised of 4 Tehsils and 14 Blocks. The impact of economic benefits of farmers adopting the agrometeorological Advisory Services, was analysed by conducting a field survey in four villages of two blocks in

Kushinagar, about 100 farmers of different categories, such as big, marginal, and small, were identified in these villages under the "DAMU" project during the Rabi season of 2019–20. The four villages were selected for this study, as were two groups of farmers, namely, a group adopting the agrometeorological Advisories regularly in their operation (AAS Farmers) and other groups of farmers not aware of agrometeorological Advisories (Non AAS Farmers). In these four villages, out of 100 farmers identified, AAS information was issued for 50 farmers during the *rabi* season, and care was taken to implement the advisories by this group. The crop situation of these farmers was compared with nearby fields having the same crops, where the forecast is not adopted in Non AAS farmers' fields. The major objective of this programme is to advise on timely and need-based crop management practices. The IMD, Pune, provides weather forecasts every Tuesday and Friday, comprising information on rainfall, maximum and minimum temperatures, wind speed and direction, cloud cover, and maximum and minimum humidity. Based on the opinions from different disciplines, the agrometeorological are being prepared every Tuesday and Friday in Hindi as well as English language and communicated to the farmers on a real time basis through WhatsApp groups, telephone, SMS, etc. It contains weather-based agricultural advice for farmers, which includes weather-related information for the next five days, as well as information on agricultural operations like crop management, proper irrigation use, fertiliser amount, timing, and method, as well as management against diseases and pests.

## 3. RESULTS AND DISCUSSION

“Rainfall and temperature played a very important role in wheat crop. Changing weather affects the wheat crop. Witnessing the changing climate and raising awareness about AAS among farmers is much needed. One rainfall was



**Fig. 1. Perception about agrometeorological advisories by AAS farmers**

forecasted during the third week of October, and seeing the favourable temperature, timely sowing of the wheat crop was advised to farmers. Likewise, more rainfall is forecasted during the third week of January and other stages of crop production, which also helps farmers reduce irrigation costs and increase net returns. The results of farmer's awareness about AAS at DAMU, KVK Kushinagar shown in Fig. 1 reveal that more than half of AAS farmers (58%) rated the agrometeorological advisory services as 'very good' on the scale of very poor to very good. In the mid-hill region of Himachal Pradesh, 38 percent of farmers rated agrometeorological advisories as excellent, and 29 percent of farmers rated good" [7]. AAS was shown to be necessary by almost 88% of farmers, who also felt that advisories based on forecasted rainfall events were the most beneficial for their farming activities. Weather advisories based on forecasted temperatures were considered to be the second-most helpful. These findings are in line with studies by Madison [8]. More than 76% of farmers believed that AAS was helpful and that it reduced the costs associated with agricultural production. Additionally, 90% of farmers believed that the AAS was helpful in lowering irrigation costs because it allowed farmers to plan their activities on the farm in a timely manner as per the weather and rainfall advisory issued by the centre well in advance (Table 1). Moreover, 62% of farmers also said that AAS was helpful in managing pests and

diseases during the cropping season. The majority of farmers (80%) opined that real-time AAS was essential during the sowing time as it helped farmers to prepare properly their farm activities according to need based weather advisories prior to the cropping season, particularly information on timely rainfall, temperature, and humidity. The results of the economic impact analysis indicated that there was a considerable benefit to farmers who adopted and followed weather advisories from time to time issued by DAMU, KVK, Kushinagar. The percent gain in income by the AAS farmers was to the tune of 28 percent over non-AAS farmers (Table 2). When compared to non-AAS farmers, AAS farmers generated a higher net income, which was primarily due to the timely adoption of weather advisories and effective crop management practises. Similar results were also found by Dupdal et al. [9] with an increase of 19-34 percent of income and Singh et al. [10] 22% more net returns for AAS farmers in comparison to non-AAS farmers. Nirwal et al. [11] also reported an additional benefit of 55.5 % and 50.3 in soybean and cotton + black gram crops respectively by adoption of AAS. The benefit cost ratios derived from the results also showed that the AAS category had a better net income and lower cost of production, which were also due to the judicious use of farm inputs based on the real time agrometeorological advisories. So, it may be said that the farming community benefited from the timely weather forecasts and advisories.

**Table 1. AAS farmer's perception about agrometeorological advisories**

<b>Farmer perception</b>	<b>f</b>	<b>%</b>
<b>Perception about AAS</b>		
Very poor	2	4
Poor	7	14
Good	12	24
Very good	29	58
<b>Necessity of AAS</b>		
Yes	44	88
No	6	12
<b>For which weather parameter AAS is essential</b>		
Rainfall	48	96
Temperature	45	90
Wind velocity	42	84
RH	15	30
<b>Benefit of AAS</b>		
Yes	45	90
No	5	10
<b>Which way you are benefitted from AAS</b>		
Reducing cost during sowing	38	76
Managing pest and disease	31	62
Avoid post-harvest losses	44	88
Reducing number of irrigations	45	90
<b>At what stage crop AAS is essential</b>		
Sowing stage	40	80
Flowering stage	35	70
Harvesting stage	45	90
<b>Quality of AAS information disseminated</b>		
Good	40	80
Average	8	16
Poor	2	4

**Table 2. Economic impact of AAS on Wheat during 2019-20**

<b>Particulars</b>	<b>AAS Farmer</b>	<b>Non AAS farmer</b>
<b>Variable Cost (Rs/ha)</b>		
Tillage(Mechanical/Tractor)	3000	3500
Seed	5000	6250
Fertilizers		
Urea	1260	1650
DAP	3510	3510
MOP	1990	1990
Irrigation		
First Irrigation	1000	1000
Second Irrigation	-	1000
Third Irrigation	-	1000
Fourth Irrigation	1000	1000
Herbicides	1200	1500
Labours	3000	3500
Harvesting	6000	6000
<b>Cost of Cultivation (Rs/ha)</b>	<b>26960</b>	<b>31900</b>
<b>Returns</b>		
Yield of wheat (q/ha)	48	42
Price of wheat (Rs/q)	1800	1800
Yield of wheat straw (q/ha)	71	64
Price of wheat straw (Rs/q)	300	300

Particulars	AAS Farmer	Non AAS farmer
Value of wheat (Rs/ha)	86400	75600
Value of wheat straw (Rs/ha)	21300	19200
Gross returns	107700	94800
Net returns	80740	62900
<b>B: C ratio</b>	<b>2.99</b>	<b>1.97</b>

#### 4. CONCLUSION

The research revealed that using the agrometeorological Advisory Bulletin, which is based on the current and forecasted weather, is a beneficial tool for saving input and increasing output and income. Inputs were used properly and timely, which resulted in lower production costs for AAS farmers. Increased net returns were the result of higher yield levels and lower cost of cultivation.

#### COMPETING INTERESTS

Authors have declared that no competing interests exist.

#### REFERENCES

- Singh C, Rio CRD, Soundarajan V, Nath N, Shivaranjani V. Assessing India's mounting climate losses to Financial Institutions; 2020.
- Prasad Rao GSLHV, Manikandan N. Economic impact of agrometeorological advisory services over central zone of Kerala. *Journal of Agrometeorology*. 2008;1S:230-234.
- Gadgil S, Rao PS, Rao KN. Use of climate information for farm-level decision making: rainfed groundnut in southern India. *Agricultural Systems*. 2002;74(3):431-457.
- Ingram KT, Roncoli MC, Kirshen PH. Opportunities and constraints for farmers of West Africa to use seasonal precipitation forecasts with Burkina Faso as a case study. *Agricultural Systems*. 2002;74(3):331-349.
- Hansen JW. Realizing the potential benefits of climate prediction to agriculture: Issues, approaches and challenges. *Agricultural Systems*. 2002;74:329-330.
- Venkataraman. Climatic characterisation of crop productivity and input needs for agrometeorological advisory services. *Journal of Agrometeorology*. 2004;6(11):98-105.
- Rana RS, Prasad R, Kumar S. Reliability of medium range weather forecast in mid hill region of Himachal Pradesh. *Journal of Agrometeorology*. 2005;7(2): 297-303.
- Maddison D. The perception and adaptation to climate change in Africa. CEEPA. Centre for Environmental Economics and Policy in Africa. Pretoria, South Africa: University of Pretoria. Discussion Paper No. 10; 2006.
- Dupdal Ravi, Manjunatha BL, Rajkumar Dhakar, Patil SL. Perception and economic impact of agromet advisory services: A case study of Thrissur AICRPAM centre of Kerala state. *Indian Journal of Extension Education*. 2020;56(3):10-16.
- Singh SP, Mishra SR, Kumar V, Saran B, Jaiswal P. Economic impact and usefulness of agromet advisory services for wheat crop of Siddhartha Nagar district of Uttar Pradesh. *The Pharma Innovation Journal*. 2020;9(12S):71-74.
- Nirwal AD, Dakhore KK, Shinde PB. A case study on economic impact of agrometeorological advisory service in Aurangabad district of Marathwada region. *Journal of Agrometeorology*. 2019;21(1): 238-241.

© 2023 Pradhan et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:  
<https://www.sdiarticle5.com/review-history/97501>